L Number	Hits	Search Text	DB	Time stamp
-	6515	((709/224) or (709/223) or (709/200)).CCLS.	USPAT;	2004/09/08 09:27
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	3851	(((709/224) or (709/223) or (709/200)).CCLS.) and @ad <=	USPAT;	2004/09/08 09:28
	3031	"20010503"	US-PGPUB;	200 1, 00, 00 05 120
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3849	((((709/224) or (709/223) or (709/200)).CCLS.) and @ad <=	USPAT;	2004/09/08 09:28
	2	"20010503") ((((700(233) or (700(200)) CCLS ) and @ad <=	US-PGPUB USPAT;	2004/09/08 11:29
_	2	((((709/224) or (709/223) or (709/200)).CCLS.) and @ad <= "20010503") not ((((709/224) or (709/223) or	US-PGPUB;	2004/03/06 11.23
		((709/200)).CCLS.) and @ad <= "20010503")	EPO; JPO;	
		(, 03, 200), 100201, and Gaz = 2002001	DERWENT;	
			IBM_TDB	
-	16	html and xml and XSLT and (dom or "document object model")	USPAT	2004/09/08 11:31
		and @ad <= "20010503"		
-	42	html and xml and XSLT and (dom or "document object model")	USPAT;	2004/09/08 11:31
	42	and @ad <= "20010503" html and xml and XSLT and (dom or "document object model")	US-PGPUB USPAT;	2004/09/08 11:37
-	43	and @ad <= "20010503"	US-PGPUB;	2004/09/00 11.37
		and @dd <= 20010303	EPO; JPO;	
		*	DERWENT;	
			IBM_TDB	
-	0	(html and xml and XSLT and (dom or "document object	USPAT;	2004/09/08 11:39
		model") and @ad <= "20010503") and archive and (convert or	US-PGPUB;	
		translate or format or reformat or transform) and (compare or	EPO; JPO;	
		match)	DERWENT; IBM_TDB	:
_	2	(html and xml and XSLT and (dom or "document object	USPAT;	2004/09/08 14:13
	_	model") and @ad <= "20010503") and archive and (convert or	US-PGPUB;	100 1,00,00
		translate or format or reformat or transform)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/00 15 15
-	0	"strict formatted file" and archiv\$4 and (match or compare) and (XML or "extensible markup language") and xhtml and html	USPAT; US-PGPUB;	2004/09/08 15:15
		and XSLT	EPO; JPO;	
		and ASET	DERWENT;	
			IBM_TDB	
-	16	archiv\$4 and (match or compare) and (XML or "extensible	USPAT;	2004/09/09 08:01
		markup language") and xhtml and html and XSLT	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM_TDB	
_	1	(archiv\$4 and (match or compare) and (XML or "extensible	USPAT;	2004/09/08 15:16
	•	markup language") and xhtml and html and XSLT) and @ad	US-PGPUB;	
		<= "20010503"	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/00/00 00 17
-	256	monitor\$4 near8 format near8 different	USPAT;	2004/09/09 08:17
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	87842	(identify or distinguish or determine) near4 (format or type)	USPAT;	2004/09/09 08:04
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u> </u>		IBM_TDB	<u> </u>

-	19415	(convert or reformat or re-format or transform or translate)	USPAT;	2004/09/09 08:06
}		near3 (file or document or resource or webpage or website or	US-PGPUB;	1
1	i	content or "web site" or web-site or "web page")	EPO; JPO;	
			DERWENT;	
	2024020		IBM_TDB	2004/20/20 00 00
-	2931929	identify or determine or compare or match or analy\$4	USPAT;	2004/09/09 08:08
1			US-PGPUB;	
	}		EPO; JPO;	
l	į į		DERWENT;	
1	2250257	0   1000405001	IBM_TDB	
-	20592363	@ad <= "20010503"	USPAT;	2004/09/09 08:08
1			US-PGPUB;	
1			EPO; JPO;	
}	}		DERWENT;	
1	,	(manifestal acque format mane) different) and ((identify an	IBM_TDB	2004/00/00 00:10
} -	7	(monitor\$4 near8 format near8 different) and ((identify or	USPAT;	2004/09/09 08:18
ł		distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB;	
1		or reformat or re-format or transform or translate) near3 (file	EPO; JPO;	
}		or document or resource or webpage or website or content or	DERWENT;	
ł		"web site" or web-site or "web page")) and (identify or determine or compare or match or analy\$4) and (@ad <=	IBM_TDB	
1	1	"20010503")		
_	0	(monitor\$4 near8 format near8 different) and ((identify or	USPAT;	2004/09/09 08:17
1	1	distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB;	2007/03/03/03/06.1/
1	}	or reformat or re-format or transform or translate) near3 (file	EPO; JPO;	
ļ		or document or resource or webpage or website or content or	DERWENT;	
1	l	"web site" or web-site or "web page")) and (identify or	IBM_TDB	
1	1	determine or compare or match or analy\$4) and (@ad <=	10.1_100	
ł	}	"20010503") and xml		
1 ~	50824	monitor\$4 near8 (format or type)	USPAT;	2004/09/09 08:18
1	3002	morned of the contract of type,	US-PGPUB;	200,705,05
1			EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	165	(monitor\$4 near8 (format or type)) and ((identify or distinguish	USPAT;	2004/09/09 08:19
j		or determine) near4 (format or type)) and ((convert or	US-PGPUB;	
1		reformat or re-format or transform or translate) near3 (file or	EPO; JPO;	
ł		document or resource or webpage or website or content or	DERWENT;	}
1		"web site" or web-site or "web page")) and (identify or	IBM_TDB	
ł		determine or compare or match or analy\$4) and (@ad <=		
1		"20010503")		
-	71		USPAT;	2004/09/09 08:20
1	}	distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB;	}
	j	or reformat or re-format or transform or translate) near3 (file	EPO; JPO;	
1		or document or resource or webpage or website or content or	DERWENT;	
		"web site" or web-site or "web page")) and (identify or	IBM_TDB	
		determine or compare or match or analy\$4) and (@ad <=		
1		"20010503")) and html	LICDAT	2004/20/00 20 22
-	35	(((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 08:20
	1	distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB;	}
	}	or reformat or re-format or transform or translate) near3 (file	EPO; JPO;	1
	1	or document or resource or webpage or website or content or	DERWENT;	1
	}	"web site" or web-site or "web page")) and (identify or determine or compare or match or analy\$4) and (@ad <=	IBM_TDB	
	1	"20010503")) and html) and xml		
	9	((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 08:20
-	1	distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB;	200 1/03/03 00.20
		or reformat or re-format or transform or translate) near3 (file	EPO; JPO;	
		or document or resource or webpage or website or content or	DERWENT;	
	}	"web site" or web-site or "web page")) and (identify or	IBM_TDB	
		determine or compare or match or analy\$4) and (@ad <=	101,_100	
	1	"20010503")) and html) and xml) and xhtml		
L	1	20020000 If and ham/ and hill) and hillin	L	. L

-	9	(((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 08:20
		distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB;	
		or reformat or re-format or transform or translate) near3 (file	EPO; JPO;	
[		or document or resource or webpage or website or content or	DERWENT;	
		"web site" or web-site or "web page")) and (identify or	IBM_TDB	
		determine or compare or match or analy\$4) and (@ad <=	!	
		"20010503")) and html) and xml) and xhtml) and xslt		
-	9	((((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 08:33
		distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB;	
	ĺ	or reformat or re-format or transform or translate) near3 (file	EPO; JPO;	
		or document or resource or webpage or website or content or	DERWENT;	
		"web site" or web-site or "web page")) and (identify or	IBM_TDB	!
		determine or compare or match or analy\$4) and (@ad <=	_	
	}	"20010503")) and html) and xml) and xhtml) and xslt) and dom		
_	9	((((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 13:14
	,	distinguish or determine) near4 (format or type)) and ((convert	US-PGPUB	200 1/03/03 23:21
		or reformat or re-format or transform or translate) near3 (file	0310100	
	1	or document or resource or webpage or website or content or		
		or document or resource or webpage or website or content or		
		"web site" or web-site or "web page")) and (identify or		
		determine or compare or match or analy\$4) and (@ad <=	'	
ĺ		"20010503")) and html) and xml) and xhtml) and xslt) and dom		
-	9	((((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 13:18
1		distinguish or determine)) and ((convert or reformat or	US-PGPUB	
ĺ		re-format or transform or translate) near4 (file or document or		
1		resource or webpage or website or content or "web site" or		
	1	web-site or "web page")) and (identify or determine or		
		compare or match or analy\$4) and (@ad <= "20010503")) and		
		html) and xml) and xhtml) and xslt) and dom	ı	
<b> </b> -	63	((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 13:45
}		distinguish or determine)) and ((convert or reformat or	US-PGPUB	
ł		re-format or transform or translate) near4 (file or document or		
l .	•	resource or webpage or website or content or "web site" or		,
	ì	web-site or "web page")) and (identify or determine or		
}		compare or match or analy\$4) and (@ad <= "20010503")) and		
1		html) and xml)		
{ _ ·	0	(((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 13:49
{	1	distinguish or determine) near8 (type or format)) and ((convert	US-PGPUB	,,
•	1	or reformat or re-format or transform or translate) near4 (file		
	}	or document or resource or webpage or website or content or		
j		"web site" or web-site or "web page")) and (identify or	}	
*	1	determine or compare or match or analy\$4) and (@ad <=		
	}	"20010503")) and html) and xml) ) not (((((monitor\$4 near8		
1	1	(format or type)) and ((identify or distinguish or determine))		
	1	and ((convert or reformat or re-format or transform or	}	
1	*			}
	1	translate) near4 (file or document or resource or webpage or		1
	}	website or content or "web site" or web-site or "web page"))		
		and (identify or determine or compare or match or analy\$4)		
1	1	and (@ad <= "20010503")) and html) and xml))	LICE	2004/00/00 12 52
} -	39	((((monitor\$4 near8 (format or type)) and ((identify or	USPAT;	2004/09/09 13:59
		distinguish or determine) near8 (type or format)) and ((convert	US-PGPUB	
1		or reformat or re-format or transform or translate) near4 (file	1	
	}	or document or resource or webpage or website or content or	}	{
ĺ		"web site" or web-site or "web page")) and (identify or		
1		determine or compare or match or analy\$4) and (@ad <=	1	
1		"20010503")) and html) and xml)	1	}
-	1839	((707/203) or (707/204)).CCLS.	USPAT;	2004/09/09 14:00
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
}			IBM_TDB	
L		I		<del></del>

[_	1428	(((707/202) or (707/204)) CCLS ) and @adz=20010503	USPAT;	2004/09/13 07:53
-	1426	(((707/203) or (707/204)).CCLS.) and @ad<=20010503	US-PGPUB;	2004/09/13 07.33
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("5946697").PN.	USPAT;	2004/09/13 10:35
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
	1627	(/745/540) /707/404)) 601.5	IBM_TDB	2004/00/12 10:26
-	1637	((715/513) or (707/104)).CCLS.	USPAT; US-PGPUB;	2004/09/13 10:36
			EPO; JPO;	
	1		DERWENT;	
	1		IBM_TDB	
-	518	(((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3)	USPAT;	2004/09/13 10:37
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
-			EPO; JPO;	
	!		DERWENT;	
	20505115	o t "anniotad"	IBM_TDB	2004/00/42 42 22
-	20593116	@ad <= "20010503"	USPAT;	2004/09/13 10:38
			US-PGPUB;	
	1		EPO; JPO; DERWENT;	
			IBM_TDB	
1_	341	(((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/13 10:38
	311	and (@ad <= "20010503")	US-PGPUB;	200 1, 05, 20 20100
		, and (6.14 )	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	103	((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/13 10:38
		and (@ad <= "20010503")) and html and xml	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT; IBM_TDB	
	2	(((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/13 10:46
_	2	and (@ad <= "20010503")) and html and xml) and dom and	US-PGPUB;	200 1/05/13 10:10
		xslt and xhtml	EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
-	3	(((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/13 10:50
		and (@ad <= "20010503")) and (archived or cached) near8	US-PGPUB;	
		updat\$4 near8 document	EPO; JPO;	
			DERWENT; IBM_TDB	
	3	((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/13 10:56
	3	and (@ad <= "20010503")) and (archived or cached) near8	US-PGPUB;	200 1/05/15 10:50
		(updat\$4 or refreash\$4) near8 document	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	((((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/13 10:55
		and (@ad <= "20010503")) and (archived or cached) near8	US-PGPUB;	
		(updat\$4 or refreash\$4) near8 document) and html) and xml	EPO; JPO;	
			DERWENT;	
	3	((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	IBM_TDB USPAT;	2004/09/13 10:56
_	3	and (@ad <= "20010503")) and (archived or cached) near8	US-PGPUB;	2007/03/13 10:30
		(updat\$4 or refresh\$4) near8 document	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	

r				7074/00/10 11 7
-	5	((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/13 11:02
	ļ l	and (@ad <= "20010503")) and (archiv\$4 or cache\$2) near8	US-PGPUB;	
		(updat\$4 or refresh\$4) near8 document	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	76	(@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/13 11:01
}	, ,	(updat\$4 or refresh\$4) near8 document	US-PGPUB;	
)		(updator of refreshor) fically document	EPO; JPO;	
)	]			
!	}		DERWENT;	
			IBM_TDB	0-04/00/40 44 00
] -	43	((@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/13 11:02
}	i l	(updat\$4 or refresh\$4) near8 document) and html	US-PGPUB;	
·	}		EPO; JPO;	
	l l		DERWENT;	
	!		IBM_TDB	
_	5	((@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/13 11:02
1	_	(updat\$4 or refresh\$4) near8 document) and xml	US-PGPUB;	, ,
	ł l	(apadity for refreshly from a document) and min	EPO; JPO;	
	1		DERWENT;	}
	}			
ł		(/@ad !!20010E02!!) and (avable 44 as anabad2) acces	IBM_TDB	2004/00/12 11:02
-	0	((@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/13 11:02
		(updat\$4 or refresh\$4) near8 document) and xml and html and	US-PGPUB;	
1		xhtml and xslt	EPO; JPO;	
	1		DERWENT;	
1	1		IBM_TDB	
-	0	((@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/13 11:03
1	1	(updat\$4 or refresh\$4) near8 document) and xml and html and	US-PGPUB;	
	}	xhtml and dom	EPO; JPO;	
ł	<b>†</b>	And and active	DERWENT;	
ł			IBM_TDB	
	0	((@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/13 11:03
-	U		US-PGPUB;	200 1/03/13 11.03
	ř	(updat\$4 or refresh\$4) near8 document) and xml and html and		
ł	ľ	dom	EPO; JPO;	
			DERWENT;	
Ì			IBM_TDB	
-	1	((@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/13 11:03
		(updat\$4 or refresh\$4) near8 document) and xml and html and	US-PGPUB;	
1		xhtml	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	!
1 -	5	((@ad <= "20010503") and (archiv\$4 or cache\$2) near8	USPAT;	2004/09/14 07:59
		(updat\$4 or refresh\$4) near8 document) and xml and html	US-PGPUB;	
1		(appears) or removing ty most o about the first with and matter	EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	[
	1	(("E0000004") or ("E420000") or ("E47E027") or ("E016200") or		2004/09/14 08:10
-	10	(("5068804") or ("5430869") or ("5475837") or ("5916299") or	USPAT;	2007/03/14 00.10
1		("6192368")).PN.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
] -	0	((("5068804") or ("5430869") or ("5475837") or ("5916299")	USPAT;	2004/09/14 08:11
		or ("6192368")).PN.) and html	US-PGPUB;	
1		, " '	EPO; JPO;	
1	1		DERWENT;	!
1	1		IBM_TDB	J
	0	((("5068804") or ("5430869") or ("5475837") or ("5916299")	USPAT;	2004/09/14 08:11
1	1	or ("6192368")).PN.) and xml	US-PGPUB;	250 1,05/11 00.11
1		OI ( 0132300 )).FN.) and Aim	EPO; JPO;	
1	}			1
1	}		DERWENT;	]
			IBM_TDB	1

	31	/////715/512) or /707/104)) CCLC) and (prohiut? or cocht?))	LICDAT	7004/00/14 00:50
~	3	(((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3)) and (@ad <= "20010503")) and (archived or cached) near8	USPAT; US-PGPUB;	2004/09/14 08:56
		(updat\$4 or refreash\$4) near8 document) and html	EPO; JPO; DERWENT;	
_	0	(((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	IBM_TDB USPAT;	2004/09/14 08:57
		and (@ad <= "20010503")) and (archived or cached) near8	US-PGPUB;	
		(updat\$4 or refreash\$4) near8 document) and html) and xsl	EPO; JPO; DERWENT;	
		(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(1)(	IBM_TDB	2004/00/44 00 57
-	0	(((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3)) and (@ad <= "20010503")) and (archived or cached) near8	USPAT; US-PGPUB;	2004/09/14 08:57
		(updat\$4 or refreash\$4) near8 document) and html) and xhtml	EPO; JPO;	
ļ ļ			DERWENT; IBM_TDB	
-	0	(((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	USPAT;	2004/09/14 08:57
		and (@ad <= "20010503")) and (archived or cached) near8 (updat\$4 or refreash\$4) near8 document) and html) and xml	US-PGPUB; EPO; JPO;	,
		(aparts ) or remeasing ty hears documently and mainly and min	DERWENT;	
_	0	(((((((715/513) or (707/104)).CCLS.) and (archiv\$3 or cach\$3))	IBM_TDB USPAT;	2004/09/14 08:57
		and (@ad <= "20010503")) and (archived or cached) near8	US-PGPUB;	2004/03/14 00:37
		(updat\$4 or refreash\$4) near8 document) and html) and dom	EPO; JPO; DERWENT;	
			IBM_TDB	
-	3422	(convert\$3 or transform\$3 or translat\$4) near3 (xml or html or	USPAT;	2004/09/14 09:10
		xhtml) near3 (xml or html or xhtml)	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	48	(convert\$3 or transform\$3 or translat\$4) near3 html near3 (xml	IBM_TDB USPAT;	2004/09/14 09:11
		or xhtml) and (dom or "document object model") and (xslt or	US-PGPUB;	, ,
		xsl)	EPO; JPO; DERWENT;	
:			IBM_TDB	
-	19	((convert\$3 or transform\$3 or translat\$4) near3 html near3 (xml or xhtml) and (dom or "document object model") and (xslt	USPAT; US-PGPUB;	2004/09/14 14:04
		or xsl)) and @ad <= "20010503"	EPO; JPO;	
			DERWENT; IBM_TDB	
-	13	((convert\$3 or transform\$3 or translat\$4) near3 html near3	USPAT;	2004/09/14 09:26
		(xml or xhtml) and (dom or "document object model") and (xslt or xsl)) and @ad <= "20010503" and xhtml	US-PGPUB; EPO; JPO;	
		or xsiy) and wad 1 = 20010505 and xhem	DERWENT;	
	6	"6643652"	IBM_TDB USPAT;	2004/09/14 14:05
}		0043032	US-PGPUB;	2001/03/1111.03
}			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	6643652.pn.	USPAT; US-PGPUB;	2004/09/14 14:05
			EPO; JPO;	
			DERWENT;	
ì	1		_IBM_TDB	L